

DOI 10.36074/logos-15.11.2024.028

MODELLING OF THE ARNEODO CHAOTIC SYSTEM USING LABVIEW

Rusyn Volodymyr Bogdanovych¹, Paraduha Artur Vadymovych²,
Bakum Dmytro Evgenovych³, Makarov Egor Sergiyovych⁴,
Homitskii Anton Oleksiyovych⁵

1. PhD of Engineering Sciences, Assistant Professor of the Radio Engineering and Information Security Department

Yuriy Fedkovych Chernivtsi National University, UKRAINE

ORCID ID: 0000-0001-6219-1031

2. Graduate Student of the Radio Engineering and Information Security Department

Yuriy Fedkovych Chernivtsi National University, UKRAINE

3. Graduate Student of the Radio Engineering and Information Security Department

Yuriy Fedkovych Chernivtsi National University, UKRAINE

4. Graduate Student of the Radio Engineering and Information Security Department

Yuriy Fedkovych Chernivtsi National University, UKRAINE

5. Graduate Student of the Radio Engineering and Information Security Department

Yuriy Fedkovych Chernivtsi National University, UKRAINE

A chaotic system refers to a dynamic system that appears to be random and unpredictable, even though it is governed by deterministic laws. In simpler terms, chaotic systems are sensitive to initial conditions, meaning small differences in the starting state of the system can lead to vastly different outcomes. This phenomenon is often called the butterfly effect, where small changes can have large, unpredictable consequences over time.

Chaos theory applications in many different research areas, such as electronic circuits [1-10], memristors [11, 12], secure communication systems [13-15], optics [16], economy [17] etc.

A great interest is the simulation that using different software environments allows to demonstration different information properties of chaotic oscillations.

Chaotic Arneodo system is one of chaotic systems that can be used for security of the information carrier, and described by three nonlinear differential equations:



SEZIONE 14.
ELETTRONICA E TELECOMUNICAZIONI

$$\begin{aligned} Dx &= x + dt \cdot (y); \\ Dy &= y + dt \cdot (z); \\ Dz &= z + dt \cdot (-a \cdot x - b \cdot y - c \cdot z + d \cdot x \cdot x \cdot x); \end{aligned} \quad (1)$$

where x, y, z – dynamic variables that determine the phase space; a, b, c, d – system parameters [18].

Fig. 1 shows block scheme of the chaotic Arneodo system realization for system parameters $a = -5.5, b = 3.5, c = 1, d = -1$, and dynamic variables that equal $x = 0.5, y = -1, z = 0.5$, number of iterations $N = 10000$.




Fig. 1. **Block scheme that realize chaotic Arneodo system**

Fig. 2 shows computer modelling results using LabView.




Fig. 2. **Phase portraits and time series of the chaotic Arneodo system**

REFERENCES:

- [1] Rusyn V., Purwandari D. (2020) Dynamical Analysis and Circuit Design for Malasoma System. *International Journal of Quantitative Research and Modeling*, Vol.1(4), 174-180
- [2] Sambas, A., Mamat, M., Vaidyanathan, S., Mohamed M.A., Mada Sanjaya, W.S., (2018) A New 4-D Chaotic System with Hidden Attractor and Its Circuit Implementation. *International Journal of Engineering and Technology (UAE)*, 7, 1245-1250. doi.org/10.14419/ijet.v7i3.9846
- [3] Rusyn, V., Sadli, M., Mamat, M., Mujiarto, M., and Sanjaya, W.S., (2020) Computer modelling of a new simple chaotic generator, *Journal of Physics: Conference Series*, 1477, 022010. DOI 10.1088/1742-6596/1477/2/022010
- [4] Rusyn, V., Mohamad, M., Titaley, J., Nainggolan, N., Mamat, M., (2020) Design, computer modelling, analysis and control of the new chaotic generator, *Journal of Advanced Research in Dynamical & Control Systems*, Vol. 12(02), 2306-2311. DOI: 10.5373/JARDCS/V12I2/S20201276
- [5] Vaidyanathan, S., Sambas, A., Mohamed, M.A., Mamat, M., Sanjaya, W.S., (2018) A New Hyperchaotic Hyperjerk System with Three Nonlinear Terms, Its Synchronization and Circuit Simulation. *International Journal of Engineering and Technology (UAE)*, 7, 1585-1592
- [6] Rusyn, V., Mohamad, M.A., Purwandari, D., Mamat, M., Titaley, J., Pinontoan, B. (2020) Chaotic and Controlling Regimes of a New Modified Chua's Generator. *Journal of Advanced Research in Dynamical & Control Systems*, Vol. 12, Issue 02, 556-561.
- [7] Rusyn, V., Skiadas H. Ch., Sambas, A., Mamat, M., Vaidyanathan, S. (2020) Process of pulse transformation of the analog nonlinear signals. *Telecommunications and Radio Engineering*, Vol 79(13), 1141-1147
- [8] Rusyn, V., Skiadas, Ch. (2020) Threshold Method for Control of Chaotic Oscillations. *Springer Proceedings in Complexity*. Springer, pp. 217-229.
- [9] Rusyn, V., Subbotin, S. and Sambas, A. (2020) Analysis and experimental realization of the logistic map using Arduino Pro Mini. *CEUR Workshop Proceedings*, 2608, 300-310
- [10] Rusyn, V., Stancu, A. and Stoleriu, L. (2015) Modeling and Control of Chaotic Multi-Scroll Jerk System in LabView. *Bulletin of National Technical University of Ukraine «Kyiv Polytechnic Institute»*, Series Radiotechnique Radioapparatus Building, 62, 94-99
- [11] Rusyn, V., Khrapko, S. (2019) Memristor: Modeling and research of information properties. *Springer Proceedings in Complexity*, 229-238.
- [12] Rusyn, V., Subbotin, S., Vorobets, G. and Vorobets, O. (2024) Computer Modelling, Analysis of the Main Information Properties of Memristor and Its Application in Secure Communication System. *CEUR Workshop Proceedings*, 3702, 216-225
- [13] Rusyn, V., Mujiarto, Mamat, M., Azharul, M., Mada Sanjaya, W.S., Sambas, A., Dwipriyoko, E., Sutoni, A. (2021) Computer Modelling of the Information Properties of Hyper Chaotic Lorenz System and Its Application in Secure Communication System. *Journal of Physics: Conference Series*, 1764, 012205
- [14] Rusyn, V., Sambas, A. and Mujiarto (2021) Information security system based on chaotic signals. *CEUR Workshop Proceedings*, 3039, 294-299
- [15] Rusyn, V., Subbotin, S. and Sambas, A. (2021) Simple autonomous security system based on arduino UNO platform and fingerprint scanner module: A study case. *CEUR Workshop Proceedings*, 2864, 262-271
- [16] Rusyn, V., Samila, A., and Skiadas, Ch., (2020) Computer modeling and practical realization of chaotic circuit with a light-emitting diode, *Fourteenth International Conference on Correlation Optics*, Chernivtsi, pp. 113690D.
- [17] Rusyn, V., Savko, O., (2015) Modeling of Chaotic Behavior in the Economic Model, *CHAOS Proceedings*, 8th Chaotic Modeling and Simulation International Conference, pp. 705-712.
- [18] Sundarapandian, V., Sivaperumal, S. (2011) Sliding Mode Control Based Global Chaos Synchronization Of Arneodo Systems. *International Journal of Engineering Science and Technology (IJEST)*, Vol.3(5), 3605-3611.

